

MATERIAL SAFETY DATA SHEET (MSDS) SUPERMASTICK JOINT COMPOUND, SUPERMASTICK ADHESIVE, FINISH TECK. **HIGH PRO**

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFICATION

Products: SUPERMASTICK PR JOINT COMPOUND.

SUPERMASTICK PR ADHESIVE, FINISH TECK,

HIGH PRO.

Chemical Family: Calcium sulfate, limestone, minerals and VAE

polymers.

Synonyms: Joint Compound, taping compound, Mud, Adhesive

Compound.

UN Number: N.R.

Company developer of MSDS: This Material Safety Data Sheet is the result of

information taken from different databases. This MSDS was developed by SUPERMASTICK S.A.S., Calle 17 No. 132-18 Int. 3., Phone Number (571)

7431772. Bogotá D.C. - Colombia.

COMPANY IDENTIFICATION

Company: Supermastick S.A.S. Address: Calle 17 No. 132-18 Int. 3

Phone number: (+571) 743 1772 **Web page:** www.supermastick.com

Country: Colombia

Emergency call: Supermastick S.A.S: (+571) 7431772

SECTION 2 COMPOSITION

Applications: Indoor.

COMPONENTS

Name	CAS	TLV, mg/m ³	PEL	Percentage
Water	7732-18-5	(NE)	(NE)	< 40
Calcium Carbonate	1317-65-3	10	15 (T)/5(R)	< 75
Also it may contain:				
Attapulgite	12174-11-7	(NE)	(NE)	< 5
Mica	12001-26-2	3(R)	20 ppmcf	< 5
VAE	24937-78-8	(NE)	(NE)	< 5

⁽T) - Total, TLV - Threshold Limit Value, PEL - Permissible Exposure Limit (R) - breathable, (NE) - Not Established, ppmcf - parts per million per cubic foot of air.

Versión: 03 Fecha: 02/02/2016

Página 1 de 6



MATERIAL SAFETY DATA SHEET (MSDS) SUPERMASTICK JOINT COMPOUND, SUPERMASTICK ADHESIVE, FINISH TECK, HIGH PRO

SECTION 3 HAZARD IDENTIFICATION

EMERGENCY OVERVIEW:

This substance is not classified as dangerous according to Directive 1999/45 / EC and its amendments.

POTENTIAL HEALTH EFFECTS:

Inhalation: Inhalation of dust from this product may cause nose, throat and upper respiratory

tract irritation. It can also cause coughing, sneezing and nasal irritation. If

respiratory symptoms persist, consult a physician.

Ingestion: Ingestion can cause irritation. Consult a physician.


Skin: Frequent exposure may cause irritation, rash or dry skin. It can cause dermatitis.

Eyes: The particles can cause irritation. If symptoms persist consult a doctor.

Chronic: Reported inhalation of respirable cristobalite over a number of years can cause

lung disease (silicosis) and increase the risks of developing respiratory cancer.

NFPA Classification



Health = 0 Flammable = 0 Reactivity = 0

HIMS Classification



Health = 0
Flammable = 0
Physical hazard = 0
Personal Protection = E

0 = Minimal Hazard, 1 = Low, 2 = Moderate, 3 = High, 4 = Very High

Versión: 03 Fecha: 02/02/2016

Página 2 de 6